

◇

Sparta Swimming Pool Requirements



City Building Ordinance 14.22 (2)

(a) Installation. All private pools shall be installed in accordance with manufacturers instructions.

(b) Maintenance. All private pools shall be maintained in accordance with manufacturers instructions. All pools shall meet water quality standards as may be established for pools by the Wisconsin Department of Health and Social Services and the City Board of Health.

(c) Restricted access. All pools, whether installed above or below grade, shall be

enclosed by a wall or fence at least 48” high and of such construction as to make access difficult. Entrances through this enclosure shall be through self closing gates, designed to be difficult to open by an unattended child. Pool walls may serve as the required wall if the pool enclosure is a min. 48” above grade and access is difficult for an unattended child.

(d) Permit Required !

REMEMBER:

- 1. Installation**
- 2. Maintenance**
- 3. Restricted access**
- 4. Permit required.**

National
Electric Code Article 680

(1) Receptacles on the property shall be located at least 10’ from the inside walls of a pool. (Exception: Receptacles that provide power for water-pump motors for a permanently installed pool, as permitted between 5 and 10 feet from the inside walls of the pool, and where so located shall be single and of the locking and grounding types and shall be protected by GFCIs.)

◇

If you have any questions regarding these codes, call the City Building Inspector at City Hall. Phone number 269-6509.

(2) Where a permanently installed pool is installed at a dwelling unit, at least one 125 volt convenience receptacle shall be located a minimum of 10 feet from and not more than 20 feet from the inside wall of the pool.

(3) All 125 volt receptacles located within 20 feet of the inside walls of a pool shall be protected by GFCIs.

(4) Underground wiring shall not be permitted under a pool or within the area extending 5 feet horizontally from the inside wall of the pool. (Exception: Wiring necessary to supply pool equipment permitted by this article shall be allowed within this area. Also, when space limitations prevent wiring from being routed 5 feet or more from the pool, such wiring shall be permitted when installed in rigid metal conduit, intermediate metal conduit, or a non-metallic raceway system. All metal conduit shall be corrosion resistant and suitable for the location.

Think safety!

◇

State Plumbing Code ILHR 82.41

(this section pertains to all exterior hose bibbs)

(1) Protection of potable water supply.

Protect the potable water supply.


(a) General. Potable water supply systems shall be designed, installed and maintained in such manner as to prevent contamination from non potable water supply through cross connections or any other piping connections to the system.

(1) Devices for the protection of potable water supply. Approved backflow preventers or vacuum breakers shall be installed with any plumbing fixture or equipment, the potable water supply outlet of which may be submerged and which cannot be protected by a minimum air gap.

SWIMMING

POOL

REQUIREMENTS



City of Sparta
Sparta, Wisconsin.
